


PRODUCT INFORMATION

Manufacturer	deltaVision GmbH Hofmannstr. 50 81379 München Germany
Product	Safety Valve
Product type	S4a



S4a	
Weight	150 g
Dimensions	69 x 31 x 26 mm
Nominal diameter	4mm
Operating pressure	Up to 100 bar
Pressure range	25-100bar
Approved operating fluids	Inert media, Hydrocarbons, H ₂ , O ₂ Optional: Storables, N₂O, HTP (short term)
Proof pressure	Up to 150 bar
Ambient temperature (range)	248K ... 343K (designed, tested at RT)
Interfaces	1/4" tube + G 1/4"
Exhaust	8mm
External leakage	<1e-2 scc/s GN2
Flight Heritage	No

Please note: Delivered valves are tested according to the specifications defined in the corresponding sales order. The values shown represent the upper performance limits, with actual configurations optimized for the best balance of parameters to meet your application needs and budget.

Die reproduzierten, dimensionierten und/oder (falls vorhanden) als wellen-
konventionen gekennzeichneten Zeichnungen sind ohne weitere Verantwortung der
Hersteller zu verwenden. Alle Rechte vorbehalten. Änderungen sind im Sinne
der Zeichnung zu verstehen.

Weitergabe sowie Verfertigung dieses Dokuments, Vervielfältigung und Weiterleitung
sonst in nicht ansonsten als, soweit nicht ausdrücklich gestattet. Zuwider-
sprüche verpflichten zu Schadensersatz. Alle Rechte für die Nutzung der Patente,
Geschichte oder sonstigen Rechte vorbehalten.

